## (19) World Intellectual Property **Organization** International Bureau





(43) International Publication Date 29 January 2004 (29.01.2004)

## PCT

## (10) International Publication Number WO 2004/009576 A3

(51) International Patent Classification7: C07D 311/36

(21) International Application Number:

PCT/EP2003/007575

(22) International Filing Date: 14 July 2003 (14.07.2003)

(25) Filing Language:

English

(26) Publication Language:

**English** 

(30) Priority Data: 02016494.3

23 July 2002 (23.07.2002)

(71) Applicant (for all designated States except US): DSM IP ASSETS B.V. [NL/NL]; Het Overloon 1, NL-6411 TE Heerlen (NL).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): BURDET, Bruno [FR/FR]; 18, Rue du Moulin, F-68390 Baldersheim (FR). RUETTIMANN, August [CH/CH]; Hollenweg 24, CH-4144 Arlesheim (CH).
- (74) Agent: PANES, Nigel; Wurmisweg 576, CH-4303 Kaiseraugst (CH).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

## Published:

- with international search report
- (88) Date of publication of the international search report: 13 May 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MANUFACTURE OF ISOFLAVONES

(57) Abstract: A process for manufacturing a hydroxylated isoflavone of the formula (I) given in the description comprises reacting an appropriately substituted 2-hydroxydeoxybenzoin of the formula (II), also given in the description, with a formic acid anhydride of the formula HCOOCOR3, wherein R<sup>3</sup> signifies C<sub>2.20</sub>-alkyl or various other groups as given in the description, in the presence of a base or in a solvent which acts as a base, and if necessary promoting the ensuing hydrolysis of the so-produced acylated form of the hydroxylated isoflavone of the formula I by acidification. Of particular interest as products of this process are the 5,7dihydroxyisoflavones, e.g. genistein (5,7,4'-trihydroxyisoflavone). Isoflavones display many useful biochemical effects.

